

Innovation leads to value



**HRG ENVIRONMENTAL
ENGINEERING**

(Material Handling Equipment Division)

Company Profile



HRG ENVIRONMENTAL ENGINEERING

We Represent The Following Brand

NOBLELIFT

NOBLELIFT INTELLIGENT EQUIPMENT CO., LTD.

— Since 1996 —

Noblelift is one of the largest manufacturer for Material Handling Equipment and Logistics Solutions globally. Its Headquarter is situated in Changxing, Zhejiang, China and it now has manufacturing center in China, Malaysia, Germany, Russia, Canada and USA.

About Us

HRG ENVIRONMENTAL ENGINEERING (HRGEE) is a leading importer and supplier of Material Handling Equipment, Caster Wheel and Ventilation Equipment since 2008. We work with world famous manufacturers such as NOBLELIFT, YL CASTER, POPULA and FLYTURN to provide high quality products and services. We have a proven track record of success and customer satisfaction by providing quality products and after-sales service. Our skilled and experienced engineers and technicians provide you with the best product selection and service, with utmost sincerity and care.

Some of our Valued Customers



FORKLIFT, VNA FORKLIFT & SCISSOR LIFT



DIESEL/GASOLINE/LPG FORKLIFT

Capacity (Ton)	2.0 - 12 (Diesel), 1.5 - 3.5 (Gasoline/LPG)
Engine	Diesel: ISUZU / MITSUBISHI / XINCHAI Gasoline/LPG: NISSAN
Lifting Height	3 - 6 m



3/4-WHEEL ELECTRIC FORKLIFT

Capacity (Ton)	1.6 - 2.0 (3-Wheel), 1.6 - 5.0 (4-Wheel)
Battery	Lithium-ion / Lead Acid
Drive Type	Front-Drive
Application	Low/Mid/High Intensity, Outdoor Use



ROUGH TERRAIN DIESEL/ ELECTRIC FORKLIFT

Capacity	2.5 - 3.5 (Diesel), 1.8 - 2.5 (Electric)
Engine	ISUZU/MITSUBISHI/XINCHAI (For Diesel)
Battery	Lithium-ion / Lead Acid (For Electric)
Drive Type	2WD (Electric & Diesel) / 4WD (Diesel)



ELECTRIC SCISSOR LIFT

Capacity	200 - 450 kg
Battery	Lithium-ion / Lead Acid
Lifting Height	5 - 16 m
Application	Suitable for Indoor & Outdoor



SELF-PROPELLED TELESCOPIC AERIAL WORK PLATFORM

Capacity	227 kg
Battery	Lithium-ion / Lead Acid
Lifting Height	4.8 m (Max.)
Application	Convenient For Working In Narrow Space



VERY NARROW AISLE(VNA) ELECTRIC FORKLIFT

Capacity	1.5 Ton
Battery	Lithium-ion / Lead Acid
Lifting Height	6.5 / 7.5 / 8.5 / 9.5 m (Max.)
Application	High Intensity, Very Narrow Aisle(VNA)

REACH TRUCK, STACKER, TOW TRACTOR & ORDER PICKER



ELECTRIC REACH TRUCK (STAND-ON/SIT-ON)

Capacity	1.4 - 2.5 Ton
Battery	Lithium-ion / Lead Acid
Lifting Height	2.5 - 12.5 m
Application	High Intensity, Compact & Ergonomics



ELECTRIC STACKER (RIDE-ON)

Capacity	1.2 - 2.0 Ton
Battery	Lithium-ion / Lead Acid
Lifting Height	2.9 - 5.5 m
Application	Warehouse, Industrial and Manufacture



TOW TRACTOR

Capacity	1.0 - 6.0 Ton
Battery	Lithium-ion / Lead Acid
Operation	Stand-on / Seat
Travel Speed	6.0 - 13.0 km/h



WALKIE ELECTRIC STACKER

Capacity	1.0 - 2.0 Ton
Battery	Lithium-ion / Lead Acid
Lifting Height	1.6 - 5.5 m
Application	Warehouse, Industrial and Manufacture



ELECTRIC ORDER PICKER

Capacity	250 kg (Max.)
Battery	Lithium-ion / Lead Acid
Lifting Height	3000 mm
Application	Mid-level Package Picking



MANUAL STACKER

Capacity	1.0 - 2.0 Ton
Lifting Height	1.6 - 2.5 m
Fork Type	Fixed / Adjustable
Application	Ideal for First-level Stacking in Warehouse

DRUM HANDLING EQUIPMENT



ELECTRIC DRUM/ROLL STACKER

Capacity	300- 800 kg
Battery	Lithium-ion / Lead Acid
Lifting Height	2.2 - 2.4 m
Operation	Standing / Pedestrian



HYDRAULIC DRUM LIFTER / TRANSPORTER

Capacity	200 - 450 kg
Lifting Height	1.5 m
Drum Type	55 gallon Steel & 200L Rimmed Plastic
Grip Type	Eagle & Anchor Ear Structure Together



HYDRAULIC DRUM CARRIER

Capacity	200 - 350 kg
Operation	Pedal / Hand
Drum Type	55 gallon Steel & 200L Rimmed Plastic
Grip Type	Eagle-Grip Structure



DRUM HAND CARTS

Capacity	200 - 450 kg
Structure	Kickstand and Eagle-Grip
Drum Type	55 gallon Steel & 200L Rimmed Plastic Drums on Even or Slope Grounds.



DRUM MIXER

Capacity	160 kg
Motor	1.3 kW (Pneumatic)
Mixing Speed	6 - 40 rpm
Application	Even and fast mixing with less energy



DRUM CARRIER WITH PLATFORM AVAILABLE

Capacity	350 kg
Lifting Height	300 mm
Drum Type	55 gallon Steel & 200L Rimmed Plastic
Inner Width of Supporting Legs:	1085 / 1195 mm

PALLET TRUCKS & TABLE LIFTER



ELECTRIC PALLET TRUCK (STAND-ON/WALKIE)

Capacity	1.2 - 3.6 Ton
Battery	Lithium-ion / Lead Acid
Fork Size (WxL)	540 x 1150 / 685 x 1150 mm
Wheel Type	PU (Polyurethane)



REEL CARRYING PALLET TRUCK

Capacity	2.0 Ton
Diameter	400-600, 600-800, 800-1200, 1200-1600 mm
Fork Width	760, 850, 1000, 1150 mm
Fork Length	800, 900, 1000, 1100, 1150, 1220 mm



STANDARD/GI/SS HAND PALLET TRUCK

Capacity	2.0 - 5.0 Ton
Fork Size (WxL)	550 x 800 / 550 x 1150 / 685 x 1220 mm
Fork Height	85 - 200 mm
Wheel Type	PU(Polyurethane) / Nylon



SCISSOR LIFT PALLET TRUCK

Capacity	1.0 - 1.5 Ton
Type	Manual / Electric
Lifting Height	85 - 800 mm
Fork Size (WxL)	(550-680) x (1100-1150) mm



Optional Printer is available

HAND PALLET TRUCK WITH SCALE

Capacity	2.0 Ton
Battery	1.5 X 4 DC, AA (for Scale)
Fork Size (WxL)	555 x 1150 / 692 x 1220 mm
Wheel Type	PU (Polyurethane) / Nylon



TABLE LIFTER

Capacity	150 - 1000 kg
Type	Manual / Electric
Max Height	750 - 1500 mm
Table Size(LxW)	(700-2035) x (445-810) mm


SPARE PARTS



ROLE CLAMP



BALE CLAMP



CARTOON CLAMP



DRUM CLAMP



FORKLIFT TYRE



SCISSOR LIFT WHEEL



HAND PALLET TRUCK WHEEL (PU/NYLON)



HYDRAULIC PUMP FOR HAND PALLET TRUCK & STACKER



ELECTRICAL & ELECTRONICS PARTS



ELECTRIC STACKER / REACH TRUCK WHEEL



BATTERY



CASTER WHEEL

NOBLELIFT



**HRG ENVIRONMENTAL
ENGINEERING**

(Material Handling Equipment Division)



Innovation leads to value



Registered Office:

Bagbari, 5 No. Ward, Kashimpur,
Gazipur, Bangladesh



E-mail:

hasib@hrg.com.bd
hrgee08@gmail.com



Mobile:

+88 01713066638



Website:

www.hrg.com.bd



Dhaka Office:

House # 41, Road # 12, Sector # 10, Uttara, Dhaka - 1230